

25-G03 ITEM 3


STOK NO : 145726630

MALZEME ADI : GUARD,SWITCH

KULLANILDIĞI SİSTEM : ATR-72 UÇAKLARINDA KOKPİT BÖLÜMÜNDE BULUNAN KONTROL SWITCHLERİNİN MUHAFAZA VE EMNİYETİ ÇİN KULLANILAN MALZEMEDİR.



#### ATR72-TMUA - ILLUSTRATED PARTS CATALOG



A600-IPC-24-324

EQUIPMENT INSTL, Z211-212  
Figure 04A

UNCLASSIFIED

24-31-80

Figure 04A  
Page 0  
Oct 10/22

UNCLASSIFIED



ATR72-TMUA - ILLUSTRATED PARTS CATALOG

| FIG. | ITEM | PART NUMBER<br>NSN                         | DESCRIPTION<br>1 2 3 4 5 6 7                           | USAGE<br>FROM<br>TO | I<br>C<br>Y | UNIT<br>PER<br>NHA |
|------|------|--------------------------------------------|--------------------------------------------------------|---------------------|-------------|--------------------|
|      |      |                                            |                                                        |                     |             |                    |
| R    | 04A  |                                            | EQUIPMENT INSTL, Z211-212                              |                     |             |                    |
|      | 045  | NSA933667-02-5<br>5930-14-572-6281         | • GUARD, SWITCH<br>(91PA1)                             |                     | -4          | 1                  |
|      | 045  | 715KU01-5<br>5930-14-572-6281              | • GUARD<br>(91PA1)                                     |                     | 4-          | 1                  |
|      | 050  | E0062C1A4AC0A<br>5930-14-572-7500          | • SWITCH, TOGGLE (MOD. SB-ATR72-24-0002_TMUA)<br>(7PA) |                     | -4          | 1                  |
|      | 050  | 845UN01A4AC0A<br>5930-14-572-7500          | • SWITCH<br>(7PA)                                      |                     | 4-          | 1                  |
|      | 060  | E0063-01-5AA<br>5930-14-572-6630           | • GUARD, SWITCH<br>(7PA1)                              |                     | -4          | 1                  |
|      | 060  | <del>330KU01-5AA</del><br>5930-14-572-6630 | • GUARD<br>(7PA1)                                      |                     | 4-          | 1                  |
|      | 070  | E0276CN3FN019<br>6210-14-572-8261          | • SWITCH, PUSHBUTTON<br>(45PA)<br>(35PA)               |                     | -4          | 2                  |
|      | 070  | KKNW2JKA0W01900<br>6210-14-572-8261        | • SWITCH<br>(45PA)<br>(35PA)                           |                     | 4-          | 2                  |
|      | 080  | E0319-02A<br>5365-14-588-9549              | • SHIM<br>(45PA1)<br>(35PA1)                           |                     | -4          | 2                  |
|      | 080  | VK1507B<br>5365-14-513-1821                | • SHIM<br>(45PA1)<br>(35PA1)                           |                     | 4-          | 2                  |

- ITEM NOT ILLUSTRATED

Figure 04A

Page 2

Oct 16/23

UNCLASSIFIED

24-31-80


25-G03 ITEM 14

STOK NO : 145096839

MALZEME ADI : SLEEVE,COUPLING,CLAMP,GROOVED

KULLANILDIĞI SİSTEM : CN-235 YAKIT SİSTEM TRANSFER HATTINDA KULLANILAN  
SLEEVE,COUPLING,CLAMP,GROOVED İSİMLİ MALZEMESİDİR.

**THALES**  
CN235-100M MPA ILLUSTRATED PARTS CATALOG



FUEL DUMP AND TRANSFER SYSTEM CENTER WING INSTL (SHEET 2 OF 4)

28-30-11

Fig. 02  
Pag. 0A  
Jun. 01/13

# THALES

## CN235-100M MPA ILLUSTRATED PARTS CATALOG

| FIG.<br>ITEM | PART NUMBER       | DESCRIPTION                                          | EFFECT | QTY  |
|--------------|-------------------|------------------------------------------------------|--------|------|
|              |                   | 1234567<br>                                          |        |      |
| 02<br>-001   |                   | CENTER WING AND FAIRING FUEL NP<br>DUMP SYSTEM INSTL |        | RF   |
| 010          | 3MV54626AA        | .TUBE ASSY                                           |        | 2    |
| 020          | 3MV54625AA        | .TUBE ASSY                                           |        | 4    |
| 030          | 3MV54662AA        | .TUBE ASSY                                           |        | 2    |
| 040          | 3MV54663RUAA      | .MACHINED TUBE                                       |        | 1    |
| 050          | 3MV54665RUAA      | .MACHINED TUBE                                       |        | 1    |
| 060          | 3MV54652AA        | .TUBE ASSY                                           |        | 2    |
| 070          | 3MV54664-0003     | .TUBE ASSY                                           |        | 1    |
| 080          | 3MV54669AA        | .TUBE ASSY                                           |        | 1    |
| 090          | 3MV54670AA        | .TUBE ASSY                                           |        | 1    |
| 100          | 3MV54653AA        | .TUBE ASSY                                           |        | 2    |
| 110          | 3MV54654RUAA      | .MACHINED TUBE                                       |        | 2    |
| 120          | 3MV54655RUAA      | .MACHINED TUBE                                       |        | 2    |
| 130          | 3MV54656RUAA      | .MACHINED TUBE                                       |        | 2    |
| 140          | 3MV54657RUAA      | .MACHINED TUBE                                       |        | 2    |
| 150          | 3MV54658RUAA      | .MACHINED TUBE                                       |        | 2    |
| 160          | 3MV54660AA        | .TUBE ASSY                                           |        | 2    |
| 170          | 3MV54661AA        | .TUBE ASSY                                           |        | 2    |
| 180          | 3MV54671AA        | .TUBE ASSY (RH)                                      |        | 1    |
| 190          | 3MV54672AA        | .TUBE ASSY                                           |        | 2    |
| 200          | 3MV54600-3001     | .FLEXIBLE HOSE                                       |        | 1    |
| 210          | B97-40-651        | .SHUT OFF VALVE (F0422)<br>(QD13, QD18, QD29)        |        | 3    |
| 220          | B97-50-654        | .SHUT OFF VALVE (F0422)<br>(QD16, QD14)              |        | 2    |
| 230          | LN9038K05012      | .BOLT (D8442)                                        |        | 8 R  |
| 240          | LN9038K05010      | .BOLT (D8442)                                        |        | 12 R |
| 250          | NAS1801-3-9       | .SCREW<br>* SEE: IC-P/N CROSS REF. LIST.SUP          |        | 29 R |
| 260          | NAS1149D0432J     | .WASHER                                              |        | 14   |
| 270          | NAS1149D0332J     | .WASHER                                              |        | 89   |
| 280          | 3-23609A-24D      | .COUPLING (FA3W9)                                    |        | 22   |
| 290          | 4-23609-SF-24D    | .SEAL (FA3W9)                                        |        | 44   |
| 300          | 2-23609-24D       | .SLEEVE (FA3W9)                                      |        | 22   |
| 310          | 3-22609-12-50A    | .COUPLING (FA3W9)                                    |        | 2    |
| 320          | 2-22609-11-50A    | .SLEEVE (FA3W9)                                      |        | 2    |
| 330          | 4-22609-12-SF-50A | .SEAL (FA3W9)                                        |        | 4    |
| 340          | 3-23609A-16D      | .COUPLING (FA3W9)                                    |        | 2    |
| 350          | 2-23609-16D       | .SLEEVE (FA3W9)                                      |        | 2    |
| 360          | 4-23609-SF-16D    | .SEAL (FA3W9)                                        |        | 4    |
| 370          | 3-23609A-32D      | .COUPLING (FA3W9)                                    |        | 6    |
| 380          | 2-23609-32D       | .SLEEVE (FA3W9)                                      |        | 6    |
| 390          | 4-23609-SF-32D    | .SEAL (FA3W9)                                        |        | 12   |
| 400          | 3-23609A-28D      | .COUPLING (FA3W9)                                    |        | 8    |

-ITEM NOT ILLUSTRATED  
MISSING ITEMS AND VARIANTS ARE NOT APPLICABLE

**28-30-11**

Fig. 02  
Pag. 1  
Sep. 01/13


25-G03 ITEM 15

STOK NO : 145096847

MALZEME ADI : CLAMP,LOOP

KULLANILDIĞI SİSTEM : CN-235 YAKIT SİSTEM TRANSFER HATTINDA KULLANILAN MALZEMEDİR.

**THALES**  
CN235-100M MPA ILLUSTRATED PARTS CATALOG



FUEL DUMP AND TRANSFER SYSTEM CENTER WING INSTL (SHEET 2 OF 4)

**28-30-11**

Fig. 02  
Pag. 0A  
Jun. 01/13



# THALES

## CN235-100M MPA ILLUSTRATED PARTS CATALOG

| FIG.<br>ITEM | PART NUMBER       | DESCRIPTION                                          | EFFECT | QTY  |
|--------------|-------------------|------------------------------------------------------|--------|------|
|              |                   | 1234567<br>                                          |        |      |
| 02           |                   |                                                      |        |      |
| -001         |                   | CENTER WING AND FAIRING FUEL NP<br>DUMP SYSTEM INSTL |        | RF   |
| 010          | 3MV54626AA        | .TUBE ASSY                                           |        | 2    |
| 020          | 3MV54625AA        | .TUBE ASSY                                           |        | 4    |
| 030          | 3MV54662AA        | .TUBE ASSY                                           |        | 2    |
| 040          | 3MV54663RUAA      | .MACHINED TUBE                                       |        | 1    |
| 050          | 3MV54665RUAA      | .MACHINED TUBE                                       |        | 1    |
| 060          | 3MV54652AA        | .TUBE ASSY                                           |        | 2    |
| 070          | 3MV54664-0003     | .TUBE ASSY                                           |        | 1    |
| 080          | 3MV54669AA        | .TUBE ASSY                                           |        | 1    |
| 090          | 3MV54670AA        | .TUBE ASSY                                           |        | 1    |
| 100          | 3MV54653AA        | .TUBE ASSY                                           |        | 2    |
| 110          | 3MV54654RUAA      | .MACHINED TUBE                                       |        | 2    |
| 120          | 3MV54655RUAA      | .MACHINED TUBE                                       |        | 2    |
| 130          | 3MV54656RUAA      | .MACHINED TUBE                                       |        | 2    |
| 140          | 3MV54657RUAA      | .MACHINED TUBE                                       |        | 2    |
| 150          | 3MV54658RUAA      | .MACHINED TUBE                                       |        | 2    |
| 160          | 3MV54660AA        | .TUBE ASSY                                           |        | 2    |
| 170          | 3MV54661AA        | .TUBE ASSY                                           |        | 2    |
| 180          | 3MV54671AA        | .TUBE ASSY (RH)                                      |        | 1    |
| 190          | 3MV54672AA        | .TUBE ASSY                                           |        | 2    |
| 200          | 3MV54600-3001     | .FLEXIBLE HOSE                                       |        | 1    |
| 210          | B97-40-651        | .SHUT OFF VALVE (F0422)<br>(QD13, QD18, QD29)        |        | 3    |
| 220          | B97-50-654        | .SHUT OFF VALVE (F0422)<br>(QD16, QD14)              |        | 2    |
| 230          | LN9038K05012      | .BOLT (D8442)                                        |        | 8 R  |
| 240          | LN9038K05010      | .BOLT (D8442)                                        |        | 12 R |
| 250          | NAS1801-3-9       | .SCREW<br>* SEE: IC-P/N CROSS REF. LIST.SUP          |        | 29 R |
| 260          | NAS1149D0432J     | .WASHER                                              |        | 14   |
| 270          | NAS1149D0332J     | .WASHER                                              |        | 89   |
| 280          | 3-23609A-24D      | .COUPLING (FA3W9)                                    |        | 22   |
| 290          | 4-23609-SF-24D    | .SEAL (FA3W9)                                        |        | 44   |
| 300          | 2-23609-24D       | .SLEEVE (FA3W9)                                      |        | 22   |
| 310          | 3-22609-12-50A    | .COUPLING (FA3W9)                                    |        | 2    |
| 320          | 2-22609-11-50A    | .SLEEVE (FA3W9)                                      |        | 2    |
| 330          | 4-22609-12-SF-50A | .SEAL (FA3W9)                                        |        | 4    |
| 340          | 3-23609A-16D      | .COUPLING (FA3W9)                                    |        | 2    |
| 350          | 2-23609-16D       | .SLEEVE (FA3W9)                                      |        | 2    |
| 360          | 4-23609-SF-16D    | .SEAL (FA3W9)                                        |        | 4    |
| 370          | 3-23609A-32D      | .COUPLING (FA3W9)                                    |        | 6    |
| 380          | 2-23609-32D       | .SLEEVE (FA3W9)                                      |        | 6    |
| 390          | 4-23609-SF-32D    | .SEAL (FA3W9)                                        |        | 12   |
| 400          | 3-23609A-28D      | .COUPLING (FA3W9)                                    |        | 8    |

-ITEM NOT ILLUSTRATED  
MISSING ITEMS AND VARIANTS ARE NOT APPLICABLE

28-30-11

Fig. 02  
Pag. 1  
Sep. 01/13


25-G03 ITEM 16

STOK NO : 145497908

MALZEME ADI : FILTER-DRIER,REFRIG

KULLANILDIĞI SİSTEM : P-235 UÇAKLARINDA KABİN BASINÇLANDIRMA VE İKLİMLENDİRME SİSTEMLERİNDE  
KULLANILMAKTADIR

**THALES**  
CN235-100M MPA ILLUSTRATED PARTS CATALOG



PP 21 52 00 01 (4)-A

VAPOR CYCLE COOLING SYSTEM - UNPRESSURIZED ZONE- INST.  
(Sheet 4 of 4)

**21-52-00**

Fig. 01  
Pag. 0C  
Jun. 01/16

# THALES

## CN235-100M MPA ILLUSTRATED PARTS CATALOG

| FIG.<br>ITEM | PART NUMBER                    | DESCRIPTION<br>1234567<br>                                     | EFFECT | QTY |
|--------------|--------------------------------|----------------------------------------------------------------|--------|-----|
| 01<br>- 001A |                                | VAPOR CYCLE COOLING SYSTEM -<br>UNPRESSURIZED ZONE- INST       |        | RF  |
| 010          | 14714A010001                   | .CONDENSER SUB-ASSY (F1958)<br>(SEE : CMM. 21-12-04)<br>(HP15) |        | 1   |
| 030          | NAS1801-3-8                    | SCREW<br>* SEE: IC-P/N CROSS REF. LIST. SUP                    |        | 18  |
| 040          | NAS1149GN816P                  | .WASHER                                                        |        | 24  |
| 050          | MS21060L3                      | .ANCHOR NUT                                                    |        | 10  |
| 060          | NAS1102-3-14                   | .BOLT                                                          |        | 10  |
| 080          | D38999/26WC35SN                | .CONNECTOR<br>(HP15a)                                          |        | 1   |
| 090          | MS85049/38S13W                 | .BACKSHELL                                                     |        | 1   |
| 100          | S4629H13-172                   | .CLAMP (F1958)                                                 |        | 4   |
| - 105        | MS20995CY20                    | .LOCKWIRE                                                      |        | AR  |
| 110          | 20146-2                        | .SLEEVE (F1958)                                                |        | 2   |
| 120          | 8022A010001                    | .CONDENSER FAN SUB-ASSY (F1958)<br>(HP14)                      |        | 1   |
| 130          | D38999/26WD05SN                | .CONNECTOR<br>(HP14a)                                          |        | 1   |
| 135          | MS85049/38S15W                 | .BACKSHELL                                                     |        | 1   |
| 140          | 20146-4                        | .SLEEVE                                                        |        | 1   |
| 150          | S4629H13-187                   | .CLAMP (F1958)                                                 |        | 2   |
| 160          | 3MV71125-0003                  | .OUTLET DUCT BONDED ASSY (T0544)                               |        | 1   |
| 170          | 14351A010001                   | .DUCT SUB ASSY (F1958)                                         |        | 1   |
| 180          | 14353A010001                   | .PIPE (F1958)                                                  |        | 1   |
| 190          | 3MV71112-0401                  | .FLEXIBLE TUBE (T0544)                                         |        | 1   |
| 200          | 3MV71127-1001                  | .TUBE ASSY (T0544)                                             |        | 1   |
| 210          | DIN 3017-A-16-<br>27X9-C7-W3-2 | .CLAMP (T0544)                                                 |        | 2   |
| 220          | 3MV71117-0001                  | .BRACKET SUCTION PIPE ASSY                                     |        | 3   |
| 225          | AS2191WDG12                    | .CLAMP                                                         |        | 1   |
| 230          | NAS1801-3-9                    | .SCREW<br>* SEE: IC-P/N CROSS REF. LIST. SUP                   |        | 2   |
| 240          | 8986A010001                    | .FILTER DRYER (F1958)                                          |        | 1   |
| 250          | 3MV71118-0001                  | .BRACKET                                                       |        | 3   |
| 260          | AS21919WDG34                   | .CLAMP                                                         |        | 1   |
| 270          | S618-21-3x2-4                  | .O-RING (F1958)<br>* SEE: IC-P/N CROSS REF. LIST. SUP          |        | 4   |
| 280          | S618-14x2-5                    | .O-RING (F1958)                                                |        | 1   |
| 290          | NAS1802-3-9                    | .SCREW                                                         |        | 8   |
| 295A         | NAS1802-3-11                   | .SCREW                                                         |        | 2   |
| 300          | 14356A010001                   | .DUCT COUPLING (F1958)                                         |        | 1   |
| 310          | 3MV71112-0501                  | .GASKET                                                        |        | 1   |
| 320          | 1366A020001                    | .COMPRESOR SUB ASSY (F1958)<br>(HP12)                          |        | 1   |

-ITEM NOT ILLUSTRATED

MISSING ITEMS AND VARIANTS ARE NOT APPLICABLE

# 21-52-00

Fig. 01  
Pag. 1  
Jun. 01/16