

**25-H92 NAVY TENDER**

ITEM 15,17,18,20,21,22,23,24,25,26,27,28



ALFA  
LAVAL

Separator tipi	S 921
Seri No / Yılı	4256521/2017
Ürün No	881201-13-02
Giriş ve çıkış	591555-01
Bowı	9023410-02
Separatör dip parça	9025519-01
Markalama	UFT-21
Kayıp tahrik cihazı	596116-01
Max. hız (bowl)	12086 r/min
Dönüş yönü (bowl)	←
Motor şaft hızı	3600 d/min
Mevcut elektrik frekansı	60 Hz
Önerilen motor gücü	5,5 Kw
Max. besleme yoğunluğu	1100 kg/m <sup>3</sup>
Max. tortu yoğunluğu	2327 kg/m <sup>3</sup>
Operasyon süresinin max. yoğunluğu	1000 kg/m <sup>3</sup>
Minimax proses sıcaklığı	0/100 °C

Özellikler  
Alfa Laval Türkiye A.Ş. - Türkiye - İstanbul  
Servis Telefonu: www.alfalaval.com

CE



Separator type	S 921
Serial No/Year	4256521/2017
Product No	881201-13-02
Inlet and outlet	591555-01
Bowl	9023410-02
Machine bottom part	9025519-01
Designation	UFT-21
Belt driving device	596116-01
Max. speed (bowl)	12086 r/min
Direction of rotation (bowl)	← 3600 r/min
Speed motor shaft	60 Hz
El. current frequency	6.4 kW
Recommended motor power	1100 kg/m <sup>3</sup>
Max. density of feed	2327 kg/m <sup>3</sup>
Max. density of sediment	1000 kg/m <sup>3</sup>
Max. density of operating liquid	0/100°C
Process temperature min./max.	



Made by Alla Laval Turbina AB  
Kralupy, Poland  
Service enquiries [www.allalaval.com](http://www.allalaval.com)