

25-H92 ITEM 20, 21, 22, 23, 24, 26, 27, 28



ALFA
LAVAL

Separator tipi	S 921
Seri No / Yılı	4256521/2017
Ürün No	881201-13-02
Giriş ve çıkış	591555-01
Bowl	9023410-02
Separatör dip parça	9025519-01
Markalama	UFT-21
Kayış tahrik cihazı	596116-01
Max. hız (bowl)	12086 r/min
Dönüş yönü (bowl)	←
Motor şaft hızı	3600 r/min
Mevcut elektrik frekansı	60 Hz
Önerilen motor gücü	5,5 Kw
Max. besleme yoğunluğu	1100 kg/m ³
Max. tortu yoğunluğu	2327 kg/m ³
Operasyon aşısının max. yoğunluğu	1000 kg/m ³
Minimax proses sıcaklığı	0/100 °C

Üretici
Alfa Laval Türkiye A.Ş. - Tuzluca - İstanbul
Servis Telefonu
www.alfalaval.com

CE



Separator type	S 921
Serial No/Year	4256521/2017
Product No	881201-13-02
Inlet and outlet	591555-01
Bowl	9023410-02
Machine bottom part	9025519-01
Designation	UFT-21
Belt driving device	596116-01
Max. speed (bowl)	12086 rpm
Direction of rotation (bowl)	← 3600 rpm
Speed motor shaft	60 Hz
El. current frequency	6.4 kW
Recommended motor power	1100 kg/m ³
Max. density of feed	2327 kg/m ³
Max. density of sediment	1000 kg/m ³
Max. density of operating liquid	0/100°C
Process temperature min./max.	



Made by Alfa Laval Lumba AB
Kraków, Poland
Service enquiries www.alfalaval.com