

25-G94-00
ITEM: 1



08 9- Piston Kod : 12 3360 517

11- Gaz Sekmesi : 12 3339 869

09 20- Yoş sekmesi : 12 3339 870

110- pleyt : 12 3339 437

10 3- Ön Yatak : 12 3902 403

30 Arka Yatak : 12 3245 976

11 44: soft seal

45: soft seal

12 46: soft seal : 12 354 1944

47: soft seal

Tek parça soft seal

12 A135036

13 96: Kör tape : 12 3588 427

4: Deyeme pulu : ~~12 2446 931~~ 12 2446 931

14 5: Deyeme pulu : 12 2446 931

31: Deyeme pulu : 12 3890 818

15 158: ⑤ Conto safi : 12 A181 315

206: Disc temperature : 12 A102 681


16 162: Capacity regulator : 12 A184 464

185: start unloader : 12 A184 461


A.3-12

Vers. 1.0


NOSKE-KAESER GmbH 10/2003



25-G94-00
ITEM: 1



25-G94-00
ITEM: 1



CHILLED WATER UNIT FPB 57-052 C		29 01 00 COMPRESSOR INCL. ELECTRIC MOTOR							Table 29-01 Page 6 of 7
MCN	MPN	DESIGNATION	VARIANT	DR	Q	GROUP NO.	TABLE NO.	FIG. NO.	REMARKS
D1013	6G-40.2Y - 382 221-11	...CIRCLIP		EA	1	290100	29-01	175.0	9x1, DIN471
D1013	6G-40.2Y - 380 056-03	...HEXAGON SCREW		EA	13	290100	29-01	176.0	M10x60, DIN931
D1013	6G-40.2Y - 347 600-03	...SOLENOID VALVE COMPLETE		EA	1	290100	29-01	177.0	
D1013	6G-40.2Y - 372 712-01	...GASKET		EA	1	290100	29-01	178.0	89x52x0.25
D1013	6G-40.2Y - 380 056-10	...HEXAGON SCREW		EA	2	290100	29-01	179.0	M10x100, DIN931
D1013	6G-40.2Y - 343 303-07	...COIL		EA	1	290100	29-01	180.0	110 V, 50/60 Hz
D1013	6G-40.2Y - 347 690-02	...VALVE		EA	1	290100	29-01	181.0	
D1013	6G-40.2Y - 389 002-01	...ELECT. CONNECTOR		EA	1	290100	29-01	182.0	DIN43650
D1013	6G-40.2Y - 375 038-01	...HEXAGON NUT		EA	1	290100	29-01	183.0	
D1013	6G-40.2Y - 375 039-01	...FIXING CAP		EA	1	290100	29-01	184.0	
D1013	6G-40.2Y - 302 357-10	START UNLOADER COMPLETE 175		EA	1	290100	29-01	185.0	air cooled
D1013	6G-40.2Y - 302 356-06	...CYLINDER HEAD WITH PISTON		EA	1	290100	29-01	186.0	air cooled
D1013	6G-40.2Y - 372 612-01	...GASKET		EA	1	290100	29-01	187.0	253x155x1.0
D1013	6G-40.2Y - 302 350-06	...CYLINDER HEAD WITH BUSH		EA	1	290100	29-01	188.0	air cooled
D1013	6G-40.2Y - 366 110-01	...PLUG		EA	2	290100	29-01	189.0	1/8"-27NPTF, St
D1013	6G-40.2Y - 380 391-51	...PLUG		EA	1	290100	29-01	190.0	R3/4", DIN906
D1013	6G-40.2Y - 383 103-04	...TAPER GROOVED DOWEL PIN		EA	1	290100	29-01	191.0	3x8, DIN1474
D1013	6G-40.2Y - 380 906-03	...SCREW		EA	1	290100	29-01	192.0	M5x12
D1013	6G-40.2Y - 311 008-01	...BUSH		EA	1	290100	29-01	193.0	DIA 14x3.7
D1013	6G-40.2Y - 375 005-01	...GASKET		EA	1	290100	29-01	194.0	
D1013	6G-40.2Y - 314 201-01	...PISTON		EA	1	290100	29-01	195.0	
D1013	6G-40.2Y - 325 010-06	...SPRING		EA	1	290100	29-01	196.0	DIA 20x40

CHILLED WATER UNIT
FPB 57-052 C

NOSKE KAESER GmbH 10/2003

Vers. 1.0

29-01T.XLS

Page 9 of 10

25-G94-00
ITEM: 1



25-G94-00
ITEM: 1

